

5500

Description:	Injectable Moldable Packing. White / yellow fibrous PTFE mixture with a lubricant carrier. For use as a moldable mechanical packing for packing glands on piping system valves and seal packing for mechanical equipment.
Temperature Range:	-50°F. to 450°F.
ph Range:	3 - 11
Applications:	Valve Packing, Reciprocating Valves, Plug Valves, Injectable Seals.
Characteristics:	High chemical resistance. Excellent lubricity. Non-hardening. Pliable formulation.
Features:	Compresses to form a dense semi-solid with extreme resistance to pressure extrusion. Allows easy packing adjustments to be made without valve disassembly or removal of the valve from the pipeline. Cost effective, works when everything else fails.
Pressure Test:	1/8" hole @ 2000 PSI (Did not extrude)
Shelf Life:	2 years in closed containers.
Packaged:	Quarts, 1/4" x 12" lengths, and 5/8" x 3" plugs. Other sizes available upon request.
Directions:	Please be advised that we recommend a top and bottom ring of braided packing still be installed for containment, especially when tolerances are in question. Can be hand packed or injected.

FOR INDUSTRIAL USE BY PROFESSIONALLY TRAINED PERSONNEL ONLY.

CONSULT MSDS & TECH SHEET FOR ALL SAFETY, TECHNICAL, & WARRANTY INFORMATION BEFORE USE.

NOT RECOMMENDED FOR USE ON NUCLEAR APPLICATIONS

Disclaimer: The information & recommendations of Jet-Lube LLC / Deacon concerning these products is based upon laboratory tests, customer feedback, and experience and to the best of our knowledge and belief are true and accurate. As the conditions of use are beyond the control of Jet-Lube LLC / Deacon, the company assumes no liability for damage caused by this product other than the replacement of the product or refund of the purchase price. The responsibility for determining whether or not the product is suitable for use rest solely with the purchaser. Jet-Lube LLC / Deacon recommends that the product be tested prior to use. This product is intended for a temporary repair and no agent, representative or employee of the company is authorized to alter this provision which relates to goods delivered, whether sold, delivered as samples or otherwise.

info@deaconindustries.com (800) 552-2896 or (724) 225-8008