

Date Prepared: February 1, 2017

1. Product and Company Identification

Jet-Lube LLC / Deacon
Bldg. #1, West Point Drive
Washington, PA 15301 USA
Phone (724) 225-8008

24 Hour Emergency Response Contact:
CHEMTREC (USA and CANADA)
Phone: 800-424-9300 or 703-527-3887

Product Name: Deacon Dry-Pak 15
 Product Type: Steel Fiber Mixture
 Product Description: Steel Fibers
 General Use : Sealant Additive

2. Hazards Identification

GHS Classification :

Skin Irritation, 2
 Eye Irritation, 2B

GHS Label Elements :

Signal Word : Warning



Hazard Statements:

H315 / 320 Can cause Skin and Eye Irritation

Precautionary Statements :

P261 Avoid breathing dust
 P262 Do not get in eyes, on skin, or on clothing
 P285 In case of inadequate ventilation wear respiratory protection
 P281 Use personal protective equipment as required
 P301/P312 If Swallowed: Call a poison center or doctor if you feel unwell
 P302/P352 If on skin: Wash with plenty of soap and water
 P333/P313 If skin irritation or rash develops: Get medical attention.
 P305/P351/P338 If in eyes : Rinse cautiously with water for several minutes.
 Remove contact lenses if easy to do. Continue Rinsing.
 P337/P313 If eye irritation persists: Get medical attention
 P233 Keep container tightly closed
 P501 Dispose of observing all Federal, State and Local regulations.

3. Composition / Information on Ingredients

Ingredients	CAS No.	% by weight
Iron	7439-89-6	60-100

4. First Aid Measures

Ingestion: DO NOT INGEST. Oral toxicity of mixture not determined. Call a physician or get medical help. Do not induce vomiting.
 Inhalation: Remove to fresh air. consult physician if symptoms develop.
 Skin Contact: Wash with soap and water, consult physician if irritation develops.
 Eye Contact: Flush with water 15 minutes. If symptoms persist,

seek medical attention.

5. Fire Fighting Measures

Recommended Extinguishing Agent:

Use class D extinguishing media.

Special Fire Fighting Procedures:

Self contained breathing apparatus and protective clothing should be worn in fighting fires involving chemicals. (Professionally Trained Personnel).

Hazardous Products Formed by Fire

or Thermal Decomposition:

When involved in a fire, this material may decompose generating dusts, irritating fumes, and toxic gases (Iron Oxides)

Unusual Fire or Explosion Hazards: None

Compressed Gases:

None

Pressure at Room Temperature:

Does not apply

6. Accidental Release Measures

Steps to be taken in cases of spill or leak:

Wear proper personal protective equipment. Remove any sources of ignition from the area and allow hot surfaces to cool. Return uncontaminated material to container and seal container tightly. Dispose of contaminated material or waste.

7. Handling and Storage

Storage: Cool, dry, storage. Store in closed containers

Handling: Avoid contact with skin and eyes.

Wear appropriate safety gear as required in work area.

Avoid contact with electricity. (conductive)

8. Exposure Controls / Personal Protection

Exposure Limits

ACGIH
(TLV)

OSHA

OTHER

Ingredients:

Iron

5 mg/m3

Personal Protective Equipment (PPE)

Eyes:

Safety Glasses

Full face shield recommended. (during injection process)

Skin:

Chemical resistant gloves.

Respiratory Protection:

If necessary, NIOSH approved for dust if necessary.

Other Protective Clothing or Equipment:

Coveralls or other protective clothing. Safety equipment as required in area..

Work / Hygienic Practices:

Avoid contact with skin. Wash hands before eating or smoking.

Engineering Controls :

None required.

9. Chemical and Physical Properties

Appearance: Grey Fiber
Odor: Negligible
pH: Not Established
Solubility in Water: NIL
Specific Gravity: 7.86 (H₂O =1)
Evaporation Rate: Not Applicable
Boiling Point: Not Applicable
Melting Point: Not Applicable
Vapor Pressure: Not Established
Vapor Density: Not Established
VOC Content: None
Flash Point: Not Applicable Method: None

Flammable Limits:
LEL: Not Established
UEL: Not Established

10. Stability and Reactivity

Stability: Stable
Hazardous Polymerization: Will not occur
Hazardous Decomposition
Or By-Products: decomposing generates dusts, irritating fumes,
and toxic gases (Iron Oxides)
Incompatibility: Strong Oxidizers and Strong Acids, Avoid contact with electricity. (conductive)
May react with acetaldehyde, ammonium peroxodisulfate, chloroformanidinium,
Ammonium nitrate, halogens, dinitrogen tetraoxide, nitril fluoride and polystyrene.

11. Toxicology Information

Primary Routes of Entry: Inhalation and contact.
Signs and Symptoms of Overexposure: **Inhalation:** Dust can cause respiratory irritation.
Eyes: Irritation, redness and pain
Skin: May cause irritation

Existing Conditions Aggravated
by Exposure: None Known

Carcinogenicity
No Data available

Toxicity : (Not a toxicity hazard in purchased state and under recommended usage limits)

Acute Health Hazards: Skin: Continual rubbing of fibers and dust on skin can cause mild irritation
with redness or itching
Inhalation: May cause respiratory tract irritation. (dust)

Chronic Health Hazards: None Known

12. Ecological Information

No known eco-toxicology effects.

13. Disposal Considerations

RCRA 40 CFR 261 Classification : This product as purchased does not fall under current US EPA RCRA definitions of Hazardous Waste. Recycling is recommended.

It is recommended that if this product in its purchased form is going to become a waste, that it be disposed of by a licensed waste disposal company, observing all Federal, State and Local regulations. Can be landfilled or incinerated. Additionally, certain state regulations could affect whether a material is considered a hazardous waste upon disposal. It must also be noted that a material can become a hazardous waste if it is mixed with or comes in contact with a hazardous substance during use. Under RCRA it is the responsibility of user of a product to determine at the time of disposal, whether a material should be classified as a hazardous waste.

14. Transport Information

DOT (49 CFR 172): Not Regulated

IATA : Not Regulated

Liquid / Solid (per ASTM D 4359-90) : Material is a solid

15. REGULATORY INFORMATION

CERCLA HAZARDOUS SUBSTANCES (40 CFR Part 302.4): This product is not reportable under 40 CFR Part 302.4.

SARA TITLE III SECTION 302 EXTREMELY HAZARDOUS SUBSTANCES (40 CFR Part 355): This product does not contain any SARA 302 Extremely Hazardous Substances.

SARA TITLE III SECTION 311/312 HAZARDOUS CATEGORIZATION (40 CFR Part 370): Certain ingredients of this product are regulated under Sara Title III Section 311/312, see section 3 of this MSDS.

SARA TITLE III SECTION 313 (40 CFR Part 372): None

U.S. INVENTORY (TSCA): Any chemical substances (as defined in 40 CFR Part 710.2), that are contained in, or used in the manufacture of this product, are reported in the EPA TSCA Inventory. (As required per 40 CFR 710.3)

CALIFORNIA PROPOSITION 65: None

CANADA WHMIS: This product does not contain any substances listed on the WHMIS ingredient disclosure list.

EUROPEAN UNION : None

OZONE DEPLETERS: * This product is not manufactured with or contains any Class I or Class II Ozone Depleting Chemicals. (ODC's)

16. OTHER INFORMATION

The information contained in this MSDS sheet is based upon data supplied by our suppliers and data determined by us in our facilities at the time these products were formulated. We have reviewed any information that we received from sources outside our company. We believe that information to be correct but cannot guarantee its accuracy or completeness. Health and safety data in this sheet may not be adequate for all individuals and/or situations. It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. If after reviewing this MSDS you have determined that this product poses unusual risks to you, your plant, or your plant personnel, or if you cannot comply fully with all safety recommendations, do not use this product. This product is intended for a temporary repair. The responsibility for whether or not the product is suitable for use rests solely with the purchaser. We recommend that the product be tested prior to use. Your use of this information is beyond our control, therefore, the information is provided without warranty expressed or implied. We accept no liability beyond the purchase price of the material.

Estimated HMIS® Code:

Health Hazard: 0

Flammability Hazard: 0

Physical Hazard: 0

Personal Protection: NPCA recommends that PPE codes be determined by the employer, who is familiar with the actual conditions under which chemicals in the facility are used.

Procedural Warning:

Attn: Technician

(For industrial use by professionally trained personnel only) When the compound is curing, vapors and gasses are given off and should be vented. Steps should be taken to insure that the injection pressure in conjunction with pressure that may occur from gassing off does not exceed the pressure limitations of the piping system. Also, be aware it is quite common that the application temperature will exceed the compound flash point. Be aware of the possibility of a flash and take necessary precautions. Avoid contact with skin and eyes. See section 8 of SDS for personal protective equipment. Ventilation may be needed during heating/curing stage to exhaust organic vapors resulting from vaporization of certain organic agents. Always avoid direct contact with smoke and vapors being emitted from the compound during the heating/curing process. These vapors may be irritating to the skin, eyes and respiratory system. Read product technical data and safety information before use. Avoid contact with electricity. (conductive)

PREPARATION INFORMATIONPrepared By: Safety Department
Company: Jet-Lube LLC / Deacon
Revision Date: 05-01-15 Revision: C